

# Contents – Volume 54

## Number 1, January 1999

### Editorials

- 1 Safe use of cricoid pressure *R. G. Vanner and T. Asai*

### Main articles

- 4 A survey of undergraduate teaching in anaesthesia  
*V. Cheung, L. A. H. Critchley, C. Hazlett, E. L. Y. Wong and T. E. Oh*
- 13 Hygienic practices of consultant anaesthetists: a survey in the North-West region of the UK *N. El Mikatti, P. Dillon and T. E. J. Healy*
- 19 Aspiration during anaesthesia: a review of 133 cases from the Australian Anaesthetic Incident Monitoring Study (AIMS) *M. T. Kluger and T. G. Short*
- 27 Analgesic and adverse effects of a low dose of intrathecally administered hyperbaric neostigmine alone or combined with morphine in patients submitted to spinal anaesthesia: pilot studies *J. G. Klamt, L. V. Garcia and W. A. Prado*
- 32 Choice of cuff inflation medium during nitrous oxide anaesthesia *V. Mitchell, T. Adams and I. Calder*

### Apparatus

- 37 Extent and practicalities of filter use in anaesthetic breathing circuits and attitudes towards their use: a postal survey of UK hospitals *M. C. Atkinson, Y. Gingis and I. J. Broome*

### Review article

- 42 The physiological and pharmacological roles of cytochrome P450 isoenzymes *G. W. M. Chang and P. C. A. Kam*

### Forum

- 51 Safe pre-operative fasting times after milk or clear fluid in children. A preliminary study using real time ultrasound *A. K. Sethi, C. Chatterji, S. K. Bhargava, P. Narang and A. Tyagi*
- 59 Cricoid pressure: knowledge and performance amongst anaesthetic assistants *T. Meek, N. Gittins and J. E. Duggan*
- 63 Propofol auto-co-induction as an alternative to midazolam-co-induction for ambulatory surgery *G. Djaiani and M. P. Ribes-Pastor*
- 67 Peribulbar anaesthesia: a double-blind comparison of three local anaesthetic solutions *A. Bedi and U. Carabine*
- 72 Anaesthesia for daycase gynaecological laparoscopy: a survey of clinical practice in the United Kingdom *R. B. Simpson and D. Russell*

- 76 The effect of intravenous tenoxicam on pruritus in patients receiving epidural fentanyl *S. Colbert, D. M. O'Hanlon, F. Chambers and D. Moriarty*
- 81 Diagnosing brain death: the importance of documenting clinical test results *A. T. Keogh and T. M. Akhtar*

### Correspondence

- 86 Regional anaesthesia D before or after general anaesthesia *J. A. W. Wildsmith H. B. J. Fischer T. Grning*
- 87 Epidural haematoma following anticoagulant treatment in a patient with an indwelling epidural catheter *M. R. Checketts and J. A. W. Wildsmith R. W. H. Skilton and W. Justice*
- 88 Tracheal aerosol administration of bronchodilators in ventilated patients *B. B. Lee*
- 89 Checklist for anaesthesia machines *D. P. Cartwright*
- 90 Breathing system filters *J. Stevens*
- 90 Anaesthetic machine alarm use *G. M. Sanders and A. Ho*
- 91 Parental anxiety before elective surgery in children *A. P. J. Lake*
- 92 Sharp or blunt tipped needles for retrobulbar anaesthesia *M. Krause, J. Weindler, S. Spang and K. W. Ruprecht*
- 92 Preparation of local anaesthetic solutions for peribulbar blocks *A. Ng and N. Shennood*
- 93 Gastro-oesophageal reflux during day-case gynaecological surgery *C. Skinner, K. MacLachlan and C. Verghese*
- 93 Life-threatening complications of hiatus hernia *L. Neumann, B. Poulton and S. Ridley*
- 94 Morbidity and economic considerations of spinal anaesthesia in the elderly *J. Monagle, M. Lim, K. Bristow and W. Shearer*
- 95 The use of sumatriptan in the treatment of postdural puncture headache after accidental lumbar puncture complicated a blood patch procedure *J. S. Sprigge*
- 96 Anaesthesia and fluoroscopy *H. N. Saxena, Y. Mehta and N. Trehan*
- 97 Failure of the Univent bronchial blocker in sealing the bronchus *T. Asai*
- 97 Forced-air warming blanket and surgical access *J. Tuckey*
- 98 Oesophageal doppler interference during abdominal ultrasound examination *J. Lai and D. Higgins*
- 98 Evaluation of a new epidural fixation device *M. Coupé and B. Al-Shaikh*
- 99 Things are not as they seem *R. I. Sinton, J. P. Stone, J. P. Coles and D. K. Menon*

- 100 Overcoming the beard *D. I. Thomas and R. Alexander*  
 100 Unexpected benefits of anaesthesia *I. S. Gauntlett*

### Obituary

- 102 Dr William Derek Wylie *J. Mathias*

### Book review

- 104 Deaths of members reported to Council

## Number 2, February 1999

### Editorials

- 105 Death in the dental chair *D. P. Cartwright*  
 108 More ethical issues *M. Harmer*

### Main articles

- 110 The development of a method for comparative costing of individual intensive care units *D. Edbrooke, C. Hibbert, S. Ridley, T. Long, H. Dickie and the Intensive Care Working Group on Costing*  
 121 Peri-operative tolerance to large-dose 6% HES 200/0.5 in major urological procedures compared with 5% human albumin *N. Vogt, U. Bothner, A. Brinkmann, R. de Petroni and M. Georgieff*  
 128 A comparison of transoesophageal echocardiographic Doppler across the aortic valve and thermodilution technique for estimating cardiac output *J. Poelaert, C. Schmidt, H. Van Aken, F. Hinder, T. Mollhoff and H. M. Loick*  
 137 Clinical efficacy and pharmacokinetics of 1% ropivacaine and 0.75% bupivacaine in peribulbar anaesthesia for cataract surgery *T. Huha, T. I. Alakokko, T. Salomki and S. Alahuhta*  
 142 Effects of low-dose isoflurane on saccadic eye movement generation *O. Khan, S. J. Taylor, J. G. Jones, M. Suvar, D. P. Hanes and R. H. S. Carpenter*

### Review article

- 146 Alpha-2 and imidazoline receptor agonists *Z. P. Khan, C. N. Ferguson and R. M. Jones*

### Case reports

- 166 An unexpected complication of the intubating laryngeal mask *M. A. Branthwaite*  
 168 Radicular acute pain after epidural anaesthesia with the technique of loss of resistance with normal saline solution *J. Gracia, C. Gomar, V. Riambau and C. Cardenal*

### Forum

- 172 Effective time to satisfactory intubation conditions after administration of rocuronium in adults. Comparison of use of propofol and thiopentone for rapid sequence induction of anaesthesia *A. P. Dobson, A. McCluskey, G. Meakin and R. D. Baker*  
 176 Theatre monitor alarm settings: a pilot survey in Scotland and Belgium *A. J. Asbury and G. Rolly*  
 181 A comparison of two airway aids for emergency use by unskilled personnel. The Combitube and laryngeal mask *N. Yandy, D. Hancox and T. Strang*  
 183 Laryngeal mask airway intracuff pressure estimation by digital palpation of the pilot balloon: a comparison of the reusable and disposable masks *C. Keller and J. R. Brimacombe*  
 186 The impact of percutaneous tracheostomy on intensive care unit practice and training *T. P. Simpson, C. J. E. Day, C. F. Jewkes and A. R. Manara*  
 189 Urine colour as an index of hydration in critically ill patients *S. J. Fletcher, A. E. Slaymaker, A. R. Bodenham and M. Vucevic*  
 192 Ethical considerations in anaesthesia journals *T. Asai and K. Shingu*

### Correspondence

- 198 Severe hypophosphataemia and insulin resistance in diabetic ketoacidosis *A. Ravenscroft, J. M. J. Valentine and P. A. Knappett*  
 198 Micellar size of propofol following the addition of alfentanil *T. Engelhardt, P. W. Johnston and D. R. Ball*  
 199 Manual ventilation via the laryngeal mask airway *N. W. Flatt*  
 199 A flexible angle for the LMA *R. Alexander*  
 200 Intermittent subcutaneous injections for postoperative pain relief *A. K. Gregg and M. Jones*  
 200 Epidural and subarachnoid blockade in children *C. Prys-Roberts*  
 200 Pressures in epidural filters and catheters *E. D. Briggs, S. Panjwani and W. F. S. Sellers*  
 201 Tunnelling of epidural catheters *D. M. Murray*  
 201 Aspiration of CSF followed by epidural blockade in labour *M. R. Carpenter and D. P. Cartwright*  
 202 A complication of using an epidural needle *Z. S. Eke*  
 202 Cricoid pressure and laryngeal visualisation *T. M. Cook and J. P. Tuckey*  
 202 Mallampati test and the epiglottis *J. Palmer*  
 202 Straight blade laryngoscopy *P. Dhakshinamoorthi*  
 203 Microlaryngoscopy and the left-handed laryngoscope *J. H. Carter*  
 203 Improved airway assessment *A. D. Bainbridge*  
 204 Ethical approval for research in anaesthesia *M. Ward and M. Harmer*

- 205 Deaths of members reported to Council

### Hazard notices

### Announcement

### Erratum

## Number 3, March 1999

## Editorial

- 207 Why Mothers Die - Report on Confidential Enquiries into Maternal Deaths in the United Kingdom 1994-96  
*J. A. Crowhurst and F. Plaat*

## Main articles

- 210 Cortical responses to auditory stimuli during isoflurane burst suppression anaesthesia *K. Hartikainen and M. G. F. Rorarius*
- 215 Comparison of supine and upright positions on autonomic nervous activity in late pregnancy: the role of aortocaval compression *Gau-Yang Chen, Cheng-Deng Kuo, Ming-Jie Yang, Huey-Ming Lo and Yuh-Show Tsai*
- 220 Effect of nitric oxide predilution on inhaled nitrogen dioxide concentrations *L. Foubert, K. Mareels, N. den Blauwen, L. Herregods and G. Rolly*
- 226 Cost-effectiveness of ondansetron for postoperative nausea and vomiting *M. R. Tramr, C. Phillips, D. J. M. Reynolds, H. J. McQuay and R. A. Moore*
- 235 Peri-operative silent myocardial ischaemia in patients undergoing lower limb joint replacement surgery: an indicator of postoperative morbidity or mortality? *G. W. G. French, W. H. Lam, Z. Rashid, J. W. Sear, P. Fox and S. Howell*
- 241 The effect of intrathecal magnesium sulphate on nociception in rat acute pain models *K. Ishizaki, M. Sasaki, S. Karasawa, H. Obata, T. Nara and F. Goto*
- 247 Comparison of sevoflurane and propofol with rocuronium for modified rapid sequence induction of anaesthesia *D. W. Lowry, M. T. Carroll, R. K. Mirakhur, A. Hayes, D. Hughes and R. O'Hare*

## Apparatus

- 253 Continuous pulse oximetry in the general surgical ward: Nellcor N-200 versus Nellcor N-3000  
*M. Christensen, C. Lie and J. Rosenberg*
- 258 Prevention of needle-stick injury. Efficacy of a safeguarded intravenous cannula *T. Asai, S. Matsumoto, H. Matsumoto, K. Yamamoto and K. Shingu*

## Case report

- 262 A bronchogenic cyst in an infant causing tracheal occlusion and cardiac arrest *C. C. Harle, O. Dearlove, R. W. M. Walker and N. Wright*

## Forum

- 266 Prophylactic anti-emetic efficacy of ondansetron in laparoscopic cholecystectomy under total intravenous anaesthesia. A randomised, double-blind comparison with droperidol, metoclopramide and placebo  
*S. A. K. Helmy*

- 271 Conditions for laryngeal mask insertion. A comparison of propofol versus sevoflurane with or without alfentanil. *P. Sivalingam, R. Kandasamy, G. Madhavan and P. Dhakshinamoorthi*
- 276 Influence of induction of anaesthesia on intubating conditions one minute after rocuronium administration: comparison of ketamine and thiopentone *P. Hans, J. F. Brichant, B. Hubert, P. Y. Dewandre and M. Lamy*
- 280 The immediate impact of opening an adult high dependency unit on intensive care unit occupancy  
*A. J. Fox, O. Owen-Smith and P. Spiers*
- 283 Meeting the standards for interhospital transfer of adults with severe head injury in the United Kingdom  
*P. R. Knowles, D. C. Bryden, R. Kishen and C. L. Gwinnutt*
- 289 The use of tramadol following day-case oral surgery  
*I. J. Broome, H. M. Robb, N. Raj, Y. Girgis and G. J. Wardall*
- 292 Attitudes to oral feeding following Caesarean section  
*L. M. Worthington, A. J. Mulcahy, S. White and P. J. Flynn*

## Correspondence

- 297 Central neural blockade and the compartment syndrome *O. Rossi and E. Doyle*
- 297 Caudal analgesia in children *D. Maloney, R. M. Jones, C. Gildersleve and M. R. W. Stacey*
- 298 Oral versus rectal diclofenac for postoperative tonsillectomy pain in children *A. Swanepoel and P. Semple*
- 299 Acute pain service audit *J. Wigfull and E. A. Welch*
- 299 Combined spinal epidural anaesthesia *T. M. Cook, W. A. Visser*
- 300 Epidural blood patch *J. S. Sprigge*
- 301 Sevoflurane induction and acute epiglottitis *P. J. Youngs*
- 301 Global pollution - the anaesthetist's contribution  
*T. Marx*
- 302 Sudden death from inhalation of petrol vapour  
*D. Yürükoğlu, S. Şen and B. Saygin*
- 302 Magnesium sulphate for the control of spasms in severe tetanus *D. Attygalle and N. Rodrigo*
- 303 Gastro-oesophageal reflux during day case gynaecological laparoscopy *M. T. W. Lee and K. E. A. Morris*
- B. Ho and R. P. Mahajan*
- 304 The Combitube and cervical spine immobilisation  
*C. L. Gwinnutt and R. Kishen*
- D. A. Gabbott*
- 305 A close shave *E. W. Moore and C. M. Cowan*
- 305 Grading of direct laryngoscopy *M. P. Down*
- 305 The intubating laryngeal mask (ILMA) in an emergency failed intubation *H. G. Wakeling and A. Bagwell*
- 306 Awareness during cardiac anaesthesia *D. McAtamney and W. McBride*
- 307 Raynaud's phenomenon and propofol *A. Gilston*
- 307 An absolute contraindication to nitrous oxide  
*S. S. Wyatt and R. S. Gill*

- 307 Another cracking idea *W. J. Morrison*  
 308 Humouring the patient *A. Gilston*  
 308 A slap on the back *E. W. Moore and M. W. Davies*  
 308 Prolonged pharyngeal obstruction after the Heimlich manoeuvre *S. Anderson and D. Buggy*  
 309 A gastronomic airway assessment *L. Sanai*  
 309 Music in theatre *M. R. Nott*  
 310 **Erratum**

## Number 4, April 1999

### Editorial

- 311 Clinical Governance - what's it all about? *G. N. Morris and R. W. Johnson*

### Main articles

- 313 A comparison of the effects of dopexamine and prostacyclin in systemic inflammatory response syndrome *M. Blunt, P. Young and S. Ridley*  
 320 The effect of oxygen on propofol-induced inhibition of microsomal cytochrome P450 3A4 *E. Miller and G. R. Park*  
 323 Ventilatory pattern and associated episodic hypoxaemia in the late postoperative period in the general surgical ward *J. Rosenberg, G. I. Rasmussen, K. Reinhold Wjdemann, L. Tschemerinsky Kirkeby, L. Nannestad Jrgensen and H. Kehlet*  
 329 Eating in labour. A randomised controlled trial assessing the risks and benefits *M. J. L. Scrutton, G. A. Metcalfe, C. Lowy, P. T. Seed and G. O'Sullivan*

### Review article

- 335 Xenon: recent developments *J. Dingley, T. M. Ivanova-Stoilova, S. Grundler and T. Wall*

### Apparatus

- 347 Evaluation of the SCOTI device for confirming blind nasal intubation *A. Trikha, C. Singh, V. Rewari and M. K. Arora*

### Case reports

- 350 Spinal haematoma following epidural anaesthesia in a patient with eclampsia *T. S. T. Yuen, J. S. W. Kua and I. K. S. Tan*  
 355 Spinal anaesthesia for Caesarean section in a patient with systemic sclerosis *A. R. Bailey, M. Wolmarans and S. Rhodes*  
 359 Use of the flexible intubating fibroscope for tracheal re-intubation in a patient with difficult extubation *M. T. Popat, R. M. Dravid and S. R. Watt-Smith*  
 361 Cor pulmonale presenting in a patient with congenital kyphoscoliosis following intercontinental air travel *J. S. Noble and J. A. H. Davidson*

- 364 A case of ventricular fibrillation in the prone position during back stabilisation surgery in a boy with Duchenne's muscular dystrophy *J. M. Reid and P. J. Appleton*  
 367 Epidural placement in a patient with undiagnosed acquired haemophilia from factor VIII inhibitor *G. A. Christie-Taylor and G. L. McAuliffe*

### Forum

- 372 An audit of airway problems in the recovery room *S. Abdy*  
 376 Rapid sequence induction: a questionnaire survey of its routine conduct and continued management during a failed intubation *A. J. Thwaites, C. P. Rice and I. Smith*  
 382 The analgesic efficacy of tramadol versus ketorolac in day-case laparoscopic sterilisation *A. J. Putland and A. McCluskey*  
 386 Why do patients feel positive about patient-controlled analgesia *G. M. Chumbley, G. M. Hall and P. Salmon*  
 389 Intravenous buscopan for analgesia following laparoscopic sterilisation *C. M. Wilson, N. Lillywhite, B. Matta, P. Mills and S. Wiltshire*

### Correspondence

- 393 Paediatric intensive care - the way ahead *S. Stott*  
 393 Peri-operative steroid supplementation *R. C. Law and S. R. Massey*  
*G. Nicholson, J. M. Burrin and G. M. Hall*  
 395 Nitroglycerin for intra-operative bronchospasm *A. Baraka, M. Nawfal, S. Haroun-Bizri and I. Yanit*  
 396 Advantages of the combined spinal epidural (CSE) technique *A. J. Olufolabi and J. V. Booth*  
*B. J. Norman and F. Plaat*  
*C. Price, L. Lafreniere, C. Brosnan and I. Findley*  
 397 Safety and technique with pencil-point subarachnoid needles *P. R. Bromage*  
 398 *Helicobacter pylori*: an occupational hazard for anaesthetists *J. Pittman and M. Watters*  
 398 Pregnancy-induced cholinesterase deficiency *R. J. Elton*  
 398 Suxamethonium and intra-ocular pressure *O. Zuzan and M. Leuwer*  
 399 Lead time bias and standardised mortality ratios in intensive care patients *M. S. Nielsen, T. E. Woodcock, K. M. Nolan and M. M. Jonas*  
 399 Internal jugular vein cannulation confused with carotid artery cannulation *K. Williamson and I. P. Latto*  
 400 Avoid internal jugular vein transfusion *I. P. Latto*  
 401 The intubating laryngeal mask airway in failed and difficult intubation *K. MacLachlan, C. Skinner and C. Vergheze*  
 402 The cuffed oropharyngeal airway *R. M. Dravid and M. T. Popat*  
*T. Asai*  
 403 Conscious sedation for fiberoptic intubation *M. Stacey and J. M. Davies*  
*T. Asai*  
 404 High-frequency oscillation via a laryngeal mask airway *J. Fraser and A. Petros*

- 404 Pharyngeal wall perforation – an unusual complication of blind intubation with a gum elastic bougie *M. Kadry and M. T. Popat*
- 405 A serious breathing system fault *R. J. Gaunt*
- 405 A potential hazard with TracheoSoft PERC tracheostomy tubes *C. Schroeder*
- 406 High airway pressures with sticking one-way valves in a circle system *R. A. Johnson and L. A. G. Vries*
- 406 A successful introduction to central venous cannulation *N. D. Yardy and P. J. Hall*
- 407 Hoarse voice and fine-bore nasogastric tubes *P. D. Nelson and G. M. Joynt*
- 407 An alternative intravenous route *D. Bousher*
- 407 Intubation through a hedge *R. P. R. Smith and G. W. Robson*
- 408 The bearded airway *A. C. Hancock*
- 408 All the fun of the fair *S. Grimes and R. Marjot*
- 408 Anaesthesia for ECT *J. R. Davies*
- 408 Caring for stockings *H. L. Ashworth and M. C. Newton*
- 409 **Book review**

## Number 5, May 1999

### Editorials

- 411 Nobel laurels, but where is the therapeutic advance? *A. Sandison and T. W. Evans*

### Main articles

- 413 Cervical spine movements during laryngoscopy. Comparison of the Macintosh and McCoy laryngoscope blades *P. A. MacIntyre, A. D. M. McLeod, R. Hurley and C. Peacock*
- 419 Continuous propofol administration for suxamethonium-induced postoperative myalgia *A. D. Manataki, H. M. Arnaoutoglou, L. K. Tefa, G. K. Glatzounis and G. S. Papadopoulos*
- 423 Effects of nitrous oxide on haemodynamic and electroencephalographic responses induced by tetanic electrical stimulation during propofol anaesthesia *T. Inada, K. Shingu, S. Nakao and A. Nagata*
- 427 The effect of aprotinin on interleukin-8 concentration and leukocyte adhesion molecule expression in an isolated bypass system *H. E. Gilliland, M. A. Armstrong, S. Uprichard, G. Clarke and T. J. McMurray*
- 434 A comparison of anaesthetic tensions in arterial blood and oxygenator exhaust gas during cardiopulmonary bypass *G. G. Lockwood, S. M. Sapsed-Byrne and S. Adams*
- 437 Gas movement in the nonventilated lung at the onset of single-lung ventilation for video-assisted thoracoscopy *J. Pfitzner, M. J. Peacock and P. T. McAleer*

### Review article

- 444 Postoperative sore throat: cause, prevention and treatment *F. E. McHardy and F. Chung*

### Apparatus

- 454 Ambient pressure oxygen reservoir apparatus for use during one-lung anaesthesia *J. Pfitzner, M. J. Peacock and B. W. Daniels*

### Case reports

- 459 The use of epidural ropivacaine in high doses for the management of pain from invasive carcinoma of the cervix *G. R. Harrison*
- 461 Patient-controlled analgesia using remifentanyl in the parturient with thrombocytopaenia *R. Jones, A. Pegrum and R. G. W. Stacey*

### Forum

- 466 A comparison of the vasodilation produced by two topical anaesthetics *E. M. C. Ashley, D. G. C. Quick, B. El-Behesey and L. M. Bromley*
- 469 The influence of baricity on the haemodynamic effects of intrathecal bupivacaine 0.5% *L. A. H. Critchley, A. P. Morley and J. Derrick*
- 475 Development and evaluation of combined rectus sheath and ilioinguinal blocks for abdominal gynaecological surgery *S. M. Yentis, P. Hills-Wright and O. Potparic*
- 479 Ondansetron versus placebo for the control of nausea and vomiting during Caesarean section under spinal anaesthesia *E. I. Abouleish, S. Rashid, S. Haque, A. Giezentanner, P. Joynton and A. Z. Chuang*

### Special article

- 483 A plan for the NHS for the 21st century *M. Rosen*

### Correspondence

- 492 Awake insertion of the cuffed oropharyngeal airway for nasotracheal intubation *T. Asai, H. Matsumoto and K. Shingu*
- 493 Anaesthesia for thyroplasty *A. George*
- 494 Percutaneous tracheostomy *R. J. Morais and S. Kotsev*
- 495 Post pneumonectomy respiratory failure *J. Wang, S. M. Winship, S. H. Pennefather and G. N. Russell*
- 496 A grading system for direct laryngoscopy *T. M. Cook*
- 497 Fracture of the outer varnish layer of a gum elastic bougie *P. Latto*
- 498 Safe use of cricoid pressure *M. J. Ruth and R. Griffiths*
- 498 Bronchospasm and confirmation of tracheal tube placement *R. G. Cox*
- 499 Another case of disappearing wheeze *C. J. Langrish and A. McCrirrick*
- 499 An unusual case of stridor *E. W. Moore and M. W. Davies*
- 500 Miller laryngoscope blades *D. Raw and A. Skinner*
- 500 The bearded airway *J. Croke*
- 500 Persistent pruritis after pentastarch infusions in intensive care patients *C. Sharland, A. Huggett, M. S. Nielson and P. S. Friedmann*
- 501 TIVA with propofol and remifentanyl *O. Bagshaw*



- 502 The uptake of sevoflurane *A. McHutchon G. Lockwood*
- 502 Self-administration of pre-operative analgesic suppositories *A. Asumang*
- 503 Software safety and the Diprifusor *J. L. Derrick G. N. C. Kenny*
- 504 Accidental switch-off of an anaesthetic machine *A. L. Ronald*
- 505 Oxygen warning devices *N. Fauvel*
- 506 Monitoring patients with long bone fractures *D. F. O. Croinin, L. Loughrey and M. Donnelly*
- 506 Peri-operative management of atrial fibrillation *S. Anandaciva*
- 507 Peri-operative steroid supplementation *E. F. Ratner and J. G. Brocke-Utne*
- 507 Parents at induction *M. P. Down J. Watt*
- 508 Spinal anaesthesia in the elderly *C. Brocklehurst J. Monagle*
- 508 Spinal before epidural single interspace CSE technique for labour *E. W. S. Cheam and L. A. H. Critchley*
- 509 A cheap 'glass' spine *K. Birkinshaw*
- 510 Regional anaesthesia – awake or asleep? *I. H. Shaw and I. H. Warnell*
- 510 *M. Rosen*
- 510 *W. H. Fish*
- 510 Experts in our field? *P. W. Doyle*
- 510 Failed epidural and the new epidural fixation device *J. E. Bellamy*
- 511 The wrong vegetable *A. M. Severn*
- 511 Too much of a good thing: a faulty Tuohy needle *M. H. Alsahaf and J. G. Jenkins*
- 511 Ensuring sterility of opioids for spinal administration *B. G. J. Green and G. V. Pathy*
- 512 Postpartum femoral neuropathy: more common than you think *A. Q. Dar, A. Robinson and G. Lyons*
- 512 A machinery murmur *C. J. H. Johnson*
- 513 Central venous access – a problem with a peripheral approach *C. M. Timberlake*
- 513 Underwired bras and the MRI scanner *J. E. Bellamy*
- 513 The Heisenberg uncertainty principle and anaesthetic performance *M. Williams*
- 514 **Deaths of members reported to Council**
- 515 **Book reviews**
- 517 **Safety notices**
- 529 Physiological values and procedures in the 24 h before ICU admission from the ward *D. R. Goldhill, S. A. White and A. Sumner*
- 535 Effect of maternal ambulation on labour with low-dose combined spinal-epidural analgesia *R. E. Collis, S. A. Harding and B. M. Morgan*
- 540 Low-dose bupivacaine: a comparison of hypobaric and near isobaric solutions for arthroscopic surgery of the knee *K. S. Kuusniemi, K. K. Pihlajamki, M. T. Pitkenen and J. E. Korkeila*
- 546 The reinforced laryngeal mask in paediatric outpatient dental surgery *J. M. George and G. M. Sanders*
- Apparatus**
- 552 The use of breathing system filters as oxygen-delivery devices *A. R. Wilkes and R. S. Vaughan*
- 559 Prevention of tracheal aspiration using the pressure-limited tracheal tube cuff *P. J. Young, C. Basson, D. Hamilton and S. A. Ridley*
- Case reports**
- 564 Acute cardiac herniation after radical pleuropneumonectomy *R. J. Self and R. S. Vaughan*
- 566 Hypokalaemic, hyperchloraemic metabolic acidosis requiring ventilation *S. R. Dunn, T. A. Farnsworth and W. U. Kanunaratne*
- 569 Anaesthesia for Conn's syndrome *S. M. Winship, J. H. R. Winstanley and J. M. Hunter*
- Historical note**
- 575 The story of the gauge *J. S. Pll*
- Forum**
- 582 The accuracy of visual estimation of weight and height in pre-operative supine patients *T. R. Coe, M. Halkes, K. Houghton and D. Jefferson*
- 587 Decontamination of laryngoscopes: a survey of national practice *M. D. Esler, L. C. Baines, D. J. Wilkinson and R. M. Langford*
- 593 The effect of cerebral palsy on the action of vecuronium with or without anticonvulsants *H. Hepag, D. zzeybek and Z. Elar*
- 596 The effects of EMLA and a topical formulation of 4% amethocaine (Ametop) on pain associated with retrobulbar injection *J. Browne, A. Raza, I. Awad, B. Tan, J. McAdoo and G. Shorten*

## Number 6, June 1999

### Editorial

- 519 Vaporisers *D. P. Cartwright and M. F. Freeman*

### Main articles

- 521 A comparison of hospital and critical-care activity *S. A. Ridley, K. Burchett, A. Burns and K. Gunning*

- 603 The reinforced LMA – what is needed is less flexibility  
*M. W. H. Turner and P. Masou*
- 603 'Sideways' laryngeal mask airways *W. F. S. Sellers,  
B. R. Waiters and A. P. Firkin*
- 603 A trainer for placement of double-lumen tracheal tubes  
*G. J. Smurthwaite and P. Butler*
- 604 Capnography and the differentiation between tracheal  
and oesophageal intubation *O. Sanehi and I. Calder*
- 605 Filters in breathing systems *G. B. Drummond  
M. C. Atkinson and I. J. Broome*
- 606 Bronchofibrescopic jet ventilation – an aid to  
percutaneous tracheostomy *S. Sudunagunta and  
V. S. Sidhu*
- 607 Retrospective soliloquy: rationalising practice through  
prospective audit *A. A. van den Berg*
- 607 Alpha-2 receptor agonists and a species-specific  
mechanism of hypoxaemia *J. G. Jones*
- 608 Anaphylactic reaction following intravenous adenosine  
*A. D. S. Shaw and M. J. Boscoe*
- 608 Propofol/midazolam co-induction *R. C. C. Upchurch  
and A. P. Hall*  
*L. Anderson and H. Robb*
- 610 Target-controlled infusions *S. Jenkins and G. Lawton*
- 610 Comparison of 0.75% levobupivacaine with 0.75%  
recemic bupivacaine for peribulbar anaesthesia  
*E. P. O'Sullivan*
- 610 Analgesia for spinal puncture *B. Ward  
Z. J. K. Nielsen*
- 611 Prolonged intrathecal catheterisation after inadvertent  
dural taps in labour *J. M. Hall, D. Hinchliffe and  
D. M. Levy*
- 612 Avoiding a dural tap *S. E. Harries and M. Stacey*
- 612 An unexpectedly shallow epidural space *D. F. Daniels*
- 613 Pumps for epidural catheters *R. Wiltshire and  
G. Dymond*
- 613 Local anaesthetic loss during simulated spinal  
anaesthesia *S. Sanghera and G. R. Park*
- 614 The 'whoosh' test *B. R. Puddy*
- 614 Amniotic fluid embolism in a patient with SC sickle cell  
disease *G. M. Sanders*
- 616 An unusual presentation of paraneoplastic neuropathy  
*M. Wolmarans, T. Shakir and S. A. Ridley*
- 617 Position of CVP lines *J. Sewell*
- 618 A problem with a triple-lumen central line  
*A. D. Hatfield, P. A. Stonelake and S. M. Whiteley*
- 619 Peri-orbital bruising as a complication of taping eyes  
*Z. A. Sadiq, M. Allan and T. Malik*
- 619 The epidural potato – and beyond *P. R. Bromage*

**621 Book reviews****623 Hazard notice****623 Deaths of members reported to Council****623 Erratum****623 Announcement****Number 7, July 1999****Editorial**

- 625 The obstructed airway in head and neck surgery  
*R. A. Mason and C. P. Fielder*

**Main articles**

- 629 Randomised double-blind comparison of morphine  
vs. a morphine–alfentanil combination for patient-  
controlled analgesia *W. D. Ngan Kee, K. S. Khaw and  
E. L. Y. Wong*
- 634 A survey of epidural analgesia for labour in the United  
Kingdom *R. Burnstein, R. Buckland and J. A. Pickett*
- 641 Thoracic epidural infusions for post-thoracotomy pain:  
a comparison of fentanyl–bupivacaine mixtures vs.  
fentanyl alone *S. V. Mahon, P. D. Berry, M. Jackson,  
G. N. Russell and S. H. Pennefather*
- 647 Vascular trauma associated with routine spinal  
anaesthesia *P. R. Knowles, N. P. C. Randall and  
A. S. Lockhart*
- 651 Dosage of neostigmine for reversal of rocuronium  
block from two levels of spontaneous recovery  
*K. C. McCourt, R. K. Mirakhur and C. M. Kerr*
- 656 The use of cricoid pressure with the intubating  
laryngeal mask *R. M. Harry and J. P. Nolan*

**Apparatus**

- 660 Portable ultrasonic scanning of the anterior neck before  
percutaneous dilatational tracheostomy *A. Hatfield and  
A. Bodenham*
- 664 An in vitro evaluation of flow from multihole epidural  
catheters during continuous infusion with four  
different infusion pumps *D. McAtamney, C. O'Hare and  
J. P. H. Fee*

**Case reports**

- 670 Anterior mediastinal masses: an anaesthetic challenge  
*M. H. Goh, X. Y. Liu and Y. S. Goh*
- 674 Life-threatening airway obstruction caused by a  
retropharyngeal haematoma *S. Senthuran, S. Lim and  
K. E. Gunning*
- 678 Cerebral perfusion monitored using transcranial  
Doppler during acute anaphylaxis *A. J. Fox,  
I. M. McLaren and A. R. Naylor*

**Forum**

- 683 The cuffed oropharyngeal airway vs. the laryngeal mask  
airway: a randomised cross-over study of oropharyngeal  
leak pressure and fiberoptic view in paralysed patients  
*J. Brimacombe and C. Keller*

- 686 The use of mini-dose suxamethonium to facilitate the insertion of a laryngeal mask airway *K. M. Ho and P. T. Chui*
- 690 Accumulation of carbon dioxide under ophthalmic drapes during eye surgery: a comparison of three different drapes *A. Schlager*
- 695 Nefopam and clonidine in the prevention of postanaesthetic shivering *S. N. Piper, S. W. Suttner, C. C. Schmidt, W. H. Maleck, B. Kumle and J. Boldt*
- 699 A comparison of the antibacterial activity of levobupivacaine vs. bupivacaine: an in vitro study with bacteria implicated in epidural infection *M. Hodson, R. Gajraj and N. B. Scott*

### Correspondence

- 703 Death in the dental chair *T. J. Dexter, J. H. Williams, J. A. Clewett, T. B. Webb, D. P. Cartwright*
- 707 An unexpected complication of the intubating laryngeal mask *A. I. J. Brain, M. Srivastava, A. Kapila and C. Verghese*
- P. J. F. Baskett*
- A. Choyce, C. M. Timberlake, N. J. D. McNeillis, M. S. Avidan and C. Patel*
- M. Branthwaite, D. J. Scott*
- 711 Management of anaesthesia for Jehovah's Witnesses *M. D. D. Bell, M. E. Ward*
- 712 Rigid bronchoscopy during percutaneous tracheostomy *P. Jefferson, V. Addison and A. J. Taylor*
- 712 Defect in the wiring of reinforced laryngeal mask leading to airway obstruction *M. E. Molloy and I. Orr*
- 713 Unilateral lung hyperinflation following tracheal tube change *M. J. Charig, D. A. H. deBeer, A. J. Mellor and P. Razis*
- 714 Cannon oximetry *M. Schuster-Bruce*
- 714 An unusual site for a PA catheter *J. M. Cupitt*
- 715 A safe, simple and effective technique for securing nasojugal tubes in the intensive care unit *S. Chay, P. N. Board and P. G. Lawler*
- 716 Homogenous mixing of propofol emulsion into an infusion solution *S. Aida and K. Shimoji*
- 717 An unusual case of hysterical postoperative coma *H. Maddock, S. Carley and A. McCluskey*
- 718 Poor anaesthetist hygienic practices – a problem across all grades of anaesthetist *J. T. McNamara and S. G. Stacey*
- 719 Prolonged bleeding from epidural catheterisation reconsidered *S. Cohen, G. Kis and E. Burley*
- 719 Oral feeding after Caesarean section *J. M. Cupitt*
- 720 Multiple choice examinations *B. McGuire*
- 720 'Peanuts and Palacos' *A. Sandison and W. Harrop-Griffiths*
- 721 It's all in the colour *R. P. R. Smith*

### 722 Book review

### 723 Erratum

## Number 8, August 1999

### Editorial

- 725 Anaesthesia and the Law: a philosophy of change *M. A. Branthwaite*

### Main articles

- 727 ICU admission in patients infected with the human immunodeficiency virus – a multicentre survey *J. K. Gill, L. Greene, R. Miller, A. Pozniak, J. Cartledge, M. Fisher, M. R. Nelson and N. Soni*
- 733 The effect of anaesthesia and surgery on plasma cytokine production *S. A. K. Helmy, M. A. M. Wahby and M. El-Nawaway*
- 739 Prognostic indicators following emergency aortic aneurysm repair *S. C. Urwin and S. A. Ridley*
- 745 Target-controlled propofol vs. sevoflurane: a double-blind, randomised comparison in day-case anaesthesia *I. Smith and A. J. Thwaites*
- 753 Anaesthesia Clinical Directors in the United Kingdom: organisation, objectives and support needs *G. M. M. Thoms, G. A. McHugh, B. J. Pollard and J. Moore*
- 761 Provision of training in chronic pain management for specialist registrars in the United Kingdom *L. J. Huggins, S. P. Ward and C. F. Stannard*
- 769 Hemispheric-synchronisation during anaesthesia: a double-blind randomised trial using audiotapes for intra-operative nociception control *P. Kliempt, D. Rutt, S. Ogston, A. Landeck and K. Martay*
- 774 Effects of lamotrigine on pain-induced chemosomatosensory evoked potentials *J. G. Klamt and J. Posner*

### Apparatus

- 778 The 'dedicated airway': a review of the concept and an update of current practice *P. Charters and E. O'Sullivan*

### Case reports

- 787 Acromegaly and papillomatosis: difficult intubation and use of the airway exchange catheter *G. J. Hulme and C. M. Blues*
- 790 Air emboli with Haemaccel *A. J. Gray and P. Glover*
- 793 Intubating laryngeal mask and rapid sequence induction in patients with cervical spine injury *C. Schuschnig, B. Walzl, W. Erlacher, B. Reddy, W. Stoik and S. Kapral*

### Forum

- 798 Effect of cricoid pressure on gastro-oesophageal reflux in awake patients *H. J. Skinner, N. M. Bedford, K. J. Girling and R. P. Mahajan*



- 800 Smokers and haemodynamic responses to desflurane  
*J. Fitz-Henry, J. Curran and D. Griffiths*
- 804 Long-term outcome of percutaneous thermocoagulation for trigeminal neuralgia  
*K. B. Yoon, J. R. Wiles, J. B. Miles and T. J. Nurmikko*

### Correspondence

- 809 Paediatric intensive care - specialisation reduces mortality  
*F. Shann and G. Pearson*  
*J. Nicholl and S. Willatts*
- 810 Elective tracheal intubation and the intubating laryngeal mask  
*A. Ovassapian*
- 811 Training method for placement of the laryngeal mask  
*T. Asai and K. Shingu*
- 811 Difficult laryngoscopy and difficult intubation  
*K. Aoyama and I. Takenaka*
- 812 Airway difficulties associated with severe epistaxis  
*M. Williams and J. Onslow*
- 813 Emergency tracheostomy tube change: another use of the tracheal tube  
*O. A. Ogunbiyi*
- 814 Tonsillectomy - an unusual complication  
*K. D. Hunt and R. Marks*
- 814 Perception of pain experienced and adequacy of analgesia following elective craniotomy  
*A. C. Graham, M. M. Reid and P. J. D. Andrews*
- 815 A potential complication of caudal anaesthesia  
*P. M. Spargo and S. S. Abbas*
- 816 Why mothers die  
*P. R. Howell*
- 816 Blood culture in apyrexial patient having epidural blood patch  
*J. S. Anvari*
- 817 Peri-operative silent myocardial ischaemia  
*R. S. Shilling and E. E. Aly*
- 817 Rapid sequence induction  
*A. J. Cademy*
- 818 Co-induction for ambulatory surgery  
*P. S. Kakodkar and M. Popat*
- 818 'Target'-controlled infusion: misnamed and misplaced  
*A. D. Walder*
- 819 Waiting for generic propofol  
*T. K. Tan*
- 819 Ultrasound-guided central vein cannulation  
*D. R. Ball and S. R. McLeod*
- 819 Pitfalls of disposable equipment  
*A. Kitsberg and T. Wolff*  
*R. Le Poidevin*
- 821 Ethical approval for research in anaesthesia  
*R. M. L'E. Orme*  
*M. Harner*
- 821 Care, cars and the Millennium bug  
*B. Hedayati, E. Djabatey and M. Davies*
- 822 An unfortunate allergy  
*V. J. Webster*

### Number 9, September 1999

### Editorial

- 823 'Mighty things from small beginnings grow'  
*T. B. Boulton*

### Main articles

- 826 Evaluation of self-reported failures in cognitive function after cardiac and noncardiac surgery  
*G. Rdig, A. Rak, P. Kasprzak and J. Hobbahn*
- 831 The cardiorespiratory effects of laparoscopic procedures in infants  
*P. Bozkurt, G. Kaya, Y. Yeker, Y. Tinali and F. Altintas*
- 835 Time course of changes in breathing pattern in morphine- and oxycodone-induced respiratory depression  
*K. Leino, L. Mildh, K. Lertola, T. Seppl and O. Kirvel*
- 841 Sevoflurane: a comparison between vital capacity and tidal breathing techniques for the induction of anaesthesia and laryngeal mask airway placement  
*C. E. Baker and I. Smith*
- 845 Critically ill medical patients, their demographics and outcome  
*S. Lam and S. Ridley*
- 853 The patient-at-risk team: identifying and managing seriously ill ward patients  
*D. R. Goldhill, L. Worthington, A. Mulcahy, M. Turling and A. Sumner*
- 861 Adrenocortical function in critically ill patients 24 h after a single dose of etomidate  
*A. Absalom, D. Pledger and A. Kong*
- 868 Antiseptic-bonded central venous catheters and bacterial colonisation  
*M. Hannan, R. N. Juste, S. Umasanker, A. Glendenning, C. Nightingale, B. Azadian and N. Soni*

### Apparatus

- 873 Fibre-optically lit laryngoscope  
*G. J. Arthurs*
- 875 The effect of steam sterilisation at 134°C on light intensity provided by fibrelight Macintosh laryngoscopes  
*M. J. L. Buxx, D. J. Veldman, M. M. Beenhakker and R. Koster*

### Case reports

- 879 The use of neuromuscular blocking agents in noncardiac surgery after dynamic cardiomyoplasty  
*J. Timmerman, J. M. A. A. Van der Maaten, J. M. K. H. Wierda, A. A. Broekema, H. E. Mungroop, M. H. J. Brouwer and M. P. Van den Berg*
- 882 Exaggerated cardiovascular response to anaesthesia - a case for investigation  
*S. E. Jones, N. Redfern, I. H. Shaw and P. H. Baylis*
- 884 Failure of insertion of a laryngeal mask airway caused by a variation in the anatomy of the thyroid cartilage  
*S. T. Browning, H. B. Whittet and A. Williams*
- 887 Anaesthetic management of Caesarean section in an elderly parturient with pre-eclampsia  
*I. D. E. Nesbitt, V. Bythell and N. Redfern*
- 891 Hyperbaric oxygen therapy in the management of severe acute anaemia in a Jehovah's Witness  
*P. L. McLoughlin, T. M. Cope and J. C. Harrison*
- 895 Profound motor blockade with epidural ropivacaine following spinal bupivacaine  
*D. J. Buggy, C. M. Allsager and S. Coley*

**Forum**

- 899 Effect of epidural bupivacaine on the relationship between the bispectral index and end-expiratory concentrations of desflurane *P. Hans, J. P. Lecoq, J. F. Brichant, P. Y. Dewandre and M. Lamy*
- 902 The effects of ropivacaine hydrochloride on coagulation and fibrinolysis. An assessment using thromboelastography *J. M. Porter, J. McGinley, B. O'Hare and G. D. Shorten*
- 907 The pre-operative EGG in day surgery: a habit? *C. J. Murdoch, D. R. Murdoch, P. McIntyre, H. Hosie and C. Clark*

**Correspondence**

- 909 Clinical Governance - what's it all about *P. R. Howell*
- 909 Use of a cuffed oropharyngeal airway and Aintree catheter in a difficult airway *M. Hawkins and E. A. Roberts*
- 910 Neck flexion and the intubating laryngeal mask *J. Brinacombe and C. Keller*  
*T. Asai and K. Shingu*
- 911 Laryngoscopy grades *R. S. Cormack*
- 912 Airway problems in the recovery room *R. S. Vaughan and T. Asai*
- 912 Epidural protocol audit *J. M. Cupitt*
- 913 Nausea and vomiting during Caesarean section under spinal anaesthesia *D. Ure, K. S. James and M. McNeill*
- 913 Labelling of obstetric patients *S. Hughes and K. D. Thomson*
- 914 Epidural catheter clamp fixes too firmly? *C. J. T. Tackaberry and R. Wadsworth*
- 914 Pulsating mass in the neck following attempted internal jugular catheterisation *M. Elias*
- 915 Painful ear sign *P. König and S. Roscoe*
- 915 Treating Guillain-Barré syndrome by filtration of cerebrospinal fluid *Y. Tzabar and M. White*
- 917 Problems involved in anaesthetising patients with DHPH deficiency *D. J. Dalglish and B. Sweeney*
- 917 Forearm venous pressures and blood back flow *K. Veasey, J. Nelson and W. F. S. Sellers*
- 917 An unfortunate cause of death *G. D. Baigel*
- 918 Why not just ask the parent? *J. M. Cupitt*
- 918 Reynauld's phenomenon and propofol *P. H. Dodd and G. Biswas*
- 919 Epidural anaesthesia in the anaesthetised patient *J. J. Henderson*
- 919 Experts in our field *J. A. W. Wildsmith*
- 919 A plan for the NHS for the 21st century *Y. M. Fish*
- 919 Scissors as a propofol ampoule 'snapper' *K. Koga and M. Hirose*
- 920 Undecipherable abbreviations *G. Verheeecke*
- 920 Precordial stethoscopes in children *W. F. S. Sellers and G. Baigel*

**921 Book reviews****Number 10, October 1999****Editorial**

- 923 The Do-Not-Attempt-Resuscitation ('DNAR') order: a lever to improve outcome and deliver preventative care *P. G. Lawler*

**Main articles**

- 926 Personality traits of anaesthetists and physicians: an evaluation using the Cloninger Temperament and Character Inventory (TCI-125) *M. T. Kluger, T. M. Laidlaw, N. Kruger and M. J. Harrison*
- 936 Ventilatory characteristics in mechanically ventilated patients during manual hyperventilation for chest physiotherapy *R. C. N. Clarke, B. E. Kelly, P. N. Convery and J. P. H. Fee*
- 941 An environmental survey of compliance with Occupational Exposure Standards (OES) for anaesthetic gases *K. A. Henderson and I. P. Matthews*
- 948 The effect of rectal diclofenac on pruritus in patients receiving intrathecal morphine *S. Colbert, D. M. O'Hanlon, S. Galvin, F. Chambers and D. C. Moriarty*
- 953 Intensive care: preparations for the Millennium. A survey of hospitals in the north of England *S. S. Baker, A. McInnes, F. L. Clarke and P. G. Lawler*
- 958 Definitions in obstetric anaesthesia: how should we measure anaesthetic workload and what is 'epidural rate'? *S. M. Yentis and P. N. Robinson*
- 963 Syringe labels in anaesthetic induction rooms *S. Radhakrishna*

**Apparatus**

- 969 Testing of adult and paediatric ventilators for use in a magnetic resonance imaging unit *E. J. Williams, N. S. Jones, T. A. Carpenter, C. S. Bunch and D. K. Menon*
- 975 A simple method to control tracheal cuff pressure in anaesthesia and in air evacuation *I. Yoneda, K. Watanabe, S. Hayashida, M. Kanno and T. Sato*
- 981 A cuff pressure controller for tracheal tubes and laryngeal mask airways *M. O. Abdelatti*

**Case reports**

- 987 Delayed pneumothorax and hydrothorax with central venous catheter migration *C. J. Thomas and C. S. Butler*
- 990 Spinal cord injury following an attempted thoracic epidural *M. F. Mayall and I. Calder*
- 994 Anaesthesia for Caesarean section in a patient with recent subarachnoid haemorrhage and severe pre-eclampsia *D. M. Levy and T. Jaspán*

**Forum**

- 999 The effect of ionised magnesium on coagulation using thromboelastography *W. A. Ames, N. McDonnell and D. Potter*

- 1002 Comparison of sevoflurane and total intravenous anaesthesia for daycase urological surgery *W. H. Fish, A. J. Hobbs and M. V. Daniels*

### Correspondence

- 1007 Vaporisers *P. V. Scott*  
 1007 Ventricular fibrillation during spinal surgery *R. J. Marcus R. W. M. Walker and T. K. Howell*  
*J. W. Smeets and C. J. Kalkman*  
*J. M. Reid*  
 1009 A grading system for direct laryngoscopy *R. M. Levitan, J. E. Hollander and E. A. Ochroch*  
 1010 MRSA contamination of a laryngoscope blade: a potential vector for cross infection *J. E. R. Beamer and R. A. Cox*  
 1011 An unusual complication of tracheostomy *F. V. Smith*  
 1012 Cervical spine movements during laryngoscopy *K. Gupta and C. Frerk*  
*P. A. Macintyre, A. D. M. McLeod, R. Hurley and C. Peacock*  
 1012 Tension pneumothorax and pneumomediastinum after nasogastric tube insertion *S. Kannan, B. Morrow and G. Furness*  
 1013 No evidence for seeker needles *M. W. P. Goodwin and C. M. Frerk*  
*I. P. Latta*  
 1015 Damage to a central venous catheter *I. Godfrey and I. Crabb*  
 1016 The spread and side-effects of intrathecally administered bupivacaine *S. Hallworth and R. Fernando*  
*L. A. H. Critchley, A. P. Morley and J. Derrick*  
 1017 Ethics and suxamethonium-induced myalgia *R. Walpole*  
*A. D. Manataki*  
 1017 Eating in labour *P. D. Barnardo and M. Patel*  
*M. J. L. Scrutton*  
 1019 Cephalad spread of epidural blockade in a 15-degree head-down position *N. White*  
 1020 Spinal haematoma following epidural anaesthesia in a patient with eclampsia *I. Wijesurendra*  
*T. S. T. Yuen, J. S. W. Kua and I. K. S. Tan*  
 1020 Spinal anaesthesia for Caesarean section in a patient with systemic sclerosis *N. J. Wilkes, T. Peachey and C. Beard*  
 1021 Nausea and vomiting during Caesarean section *G. S. Kar, S. M. Ali, R. G. W. Stacey and G. Samsoon*  
*E. I. Abouleish and A. Z. Chuang*  
 1022 A long 17-G Vygon epidural needle *J. Shah, M. Mariappan and I. Jeyapalan*  
 1023 Time to recheck the checklist? *S. Ravi Shankar, R. G. W. Stacey and A. Ravalia*  
 1023 Yet another finger and catheter saving tip for the tunnelled epidural catheter *R. C. E. Bates*  
 1023 One-lung anaesthesia: response to questions on the ambient pressure oxygen reservoir. *J. Pfitzner, H. D. Carne and E. C. Taylor*  
 1024 The left-handed laryngoscope *T. J. Hawkins*

### 1024 Safety notices

## Number 11, November 1999

### Editorial

- 1025 A long and dangerous journey: maternal mortality in Africa *D. G. Bogod*

### Main articles

- 1028 Target-controlled remifentanyl in combination with propofol for spontaneously breathing day-case patients *J. A. C. Murdoch, R. A. Hyde and G. N. C. Kenny*  
 1032 Comparison of remifentanyl with alfentanil or suxamethonium following propofol anaesthesia for tracheal intubation *R. Alexander, J. Booth, A. J. Olufolabi, H. E. El-Moalem and P. S. Glass*  
 1037 Dosing study of remifentanyl and propofol for tracheal intubation without the use of muscle relaxants *R. Alexander, A. J. Olufolabi, J. Booth, H. E. El-Moalem and P. S. Glass*  
 1041 Respiratory mechanics during and after anaesthesia for major vascular surgery *C. A. Volta, M. Verri, E. R. Righini, R. Ragazzi, V. Pavoni, R. Alvisi and G. Gritti*  
 1048 A comparison of ICU mortality prediction using the APACHE II scoring system and artificial neural networks *L. S. S. Wong and J. D. Young*  
 1055 Blood transfusion for Caesarean section in Malawi. A study of requirements, amount given and effect on mortality *P. M. Fenton*  
 1059 Double-blind comparative study of droperidol, granisetron and granisetron plus dexamethasone as prophylactic anti-emetic therapy in patients undergoing abdominal, gynaecological, breast or otolaryngological surgery *R. Janknegt, J. W. M. Pinckaers, M. H. C. Rohof, M. E. M. Ausems, M. E. L. Arbouw, R. W. van der Velden and J. R. B. J. Brouwers*  
 1069 Structured sedation programme for magnetic resonance imaging examination in children *I. N. Keengwe, S. Hegde, O. Dearlove, B. Wilson, R. W. Yates and A. Sharples*

### Review article

- 1073 Organophosphorus poisoning and anaesthesia *L. Karalliedde*

### Apparatus

- 1089 Use of the cuffed oropharyngeal airway for manual ventilation by nonanaesthetists *S. G. O. Rees and D. A. Gabbott*

**Case report**

- 1094 'Near-miss' hyperkalaemic cardiac arrest associated with rapid blood transfusion *B. Carvalho and N. F. Quiney*

**Forum**

- 1097 Aspiration in severe trauma: a prospective study *D. J. Lockett, T. Coats and M. J. A. Parr*  
 1099 Relationship between stimulating current and accellographic train-of-four response at the great toe *Y. Saitoh, Y. Narumi, Y. Fujii and M. Ueki*  
 1104 An epidural scoring scale for arm movements (ESSAM) in patients receiving high thoracic epidural analgesia for coronary artery bypass grafting *E. Abd Elrazek, N. B. Scott and A. Vohra*

**Correspondence**

- 1110 Dental anaesthesia *H. L. Goldwater*  
 1110 The safe delivery of volatile anaesthetics *M. Williams and L. Harding*  
 1110 Vaporisers *A. Ferguson H. Goldwater*  
 1111 Anaesthetic machines *P. Fenton*  
 1111 Vaporiser failure *R. Orme and C. Grange T. Penrose*  
 1113 The use of mini-dose suxamethonium to facilitate the insertion of a laryngeal mask airway *A. G. McKenzie G. A. Matthews K. M. Ho*  
 1114 The obstructed airway *T. J. Hawkins R. A. Mason and C. P. Fielder*  
 1115 Documentation of grade of laryngoscopy and intubation difficulty *G. A. Matthews*  
 1115 Contamination of laryngoscopes *M. S. Ballin, A. McCluskey, S. Maxwell and S. Spilsbury*  
 1116 The last resort - follow the instructions! *A. I. J. Brain*  
 1116 Away with the LMA? *S. Abdalla and K. D. Thomson*  
 1117 The Triennial Report - was it a 'direct death'? *M. Duncan J. Crouhurst and F. Plaat*  
 1118 Ambulatory labour analgesia *E. Plaat and M. Razzaque*  
 1118 Caesarean section in a patient with Engelmann's disease *R. W. A. Nowicki and A. Norris*  
 1119 Local anaesthetic loss during spinal injection *R. Haden and H. A. Svaldes*  
 1119 Spinal opioids *A. McHutchon*  
 1119 Duration of action of cold bupivacaine *A. Ravalia*  
 1120 Faulty Tuohy needle *J. Stevens D. Poore*  
 1120 Absent markings on an epidural catheter *R. P. R. Smith and R. Wadsworth T. J. Andrews*  
 1121 Electrical hazards from surgical equipment, identified by the diathermy machine *S. L. Hill*  
 1121 A simple chronic pain complexity score *D. Natusch and I. Selby*  
 1122 Inadequate training *I. G. Johnston*

- 1122 Anaesthetic training for accident and emergency trainees: an opportunity wasted *A. Boyle*  
 1123 Meningioma revealed after general anaesthesia *T. G. Phan and E. F. Wijdicks*  
 1125 Peri-operative asystole in a patient with diabetic autonomic neuropathy *S. Usher and A. Shaw*  
 1125 Acute clinical deterioration following adenosine administration *N. Morgan-Hughes A. D. S. Shaw*  
 1126 Methoxamine in the management of severe anaphylaxis *D. J. Higgins and P. Gayatri*  
 1126 Avoiding unnecessary trauma in the differential diagnosis of coma *A. Padkin*  
 1127 All under the umbrella of anaesthesia *C. D. DeArce Seuba and J. A. Hughes*  
 1127 A sticky situation *J. M. Cupitt and S. E. Roye*  
 1128 A new use for Magill's forceps *D. J. Dalgleish and A. Putnam*  
 1129 Hypoxia caused by body piercing *H. Wise*

**1129 Hazard notices****1130 Erratum****Number 12, December 1999****Editorial**

- 1131 Burns treatment in the 21st century: a challenge for British anaesthesia *K. Judkins*

**Main articles**

- 1136 Preliminary UK experience of dexmedetomidine, a novel agent for postoperative sedation in the intensive care unit *R. M. Venn, C. J. Bradshaw, R. Spencer, D. Brealey, E. Caudwell, C. Naughton, A. Vedio, M. Singer, R. Feneck, D. Treacher, S. M. Willatts and R. M. Grounds*  
 1143 Clinical indicators and other complications in the recovery room or postanesthetic care unit *M. J. Peskett*  
 1150 Electroencephalographic arousal response during tracheal intubation and laryngeal mask airway insertion after induction of anaesthesia with propofol *T. Inada, K. Shingu, S. Nakao, T. Hirose and A. Nagata*  
 1155 Minimum alveolar sevoflurane concentrations required for insertion of the cuffed oropharyngeal airway and the laryngeal mask airway: a comparative study *M. Tanaka, S. Watanabe and T. Nishikawa*  
 1161 Complications following the use of the Combitube, tracheal tube and laryngeal mask airway *W. Oczenski, H. Krenn, A. A. Dahaba, M. Binder, I. El-Schahawi-Kienzl, S. Kohout, S. Schwarz and R. D. Fitzgerald*  
 1166 The use of 0.25% isoflurane premixed in 50% nitrous oxide and oxygen for pain relief in labour *J. A. S. Ross, M. E. Timstall, D. M. Campbell and J. S. Lemon*

- 1173 Extending low-dose epidural analgesia for emergency Caesarean section. A comparison of three solutions *D. N. Lucas, G. K. Ciccone and S. M. Yentis*
- 1178 A comparison of 1% ropivacaine with a mixture of 0.75% bupivacaine and 2% lignocaine for peribulbar anaesthesia *H. A. McLure, A. P. Rubin, M. Westcott and H. Henderson*
- Review article**
- 1183 Ventilator-associated pneumonia. Diagnosis, pathogenesis and prevention *P. J. Young and S. A. Ridley*
- Apparatus**
- 1198 A comparison of two silicone-reinforced tracheal tubes with different bevels for use with the intubating laryngeal mask *K. Murashima, T. Fukutome and J. Brimacombe*
- Case report**
- 1201 'Speaking in tongues'. Paradoxical fixation on a non-native language following anaesthesia *M. E. Ward and J. C. Marshall*
- Forum**
- 1204 The effect of pre-emptive acupuncture treatment on analgesic requirements after day-case knee arthroscopy *S. Gupta, J. D. Francis, A. B. Tillu, A. I. Sattirajah and J. Sizer*
- 1207 Comparison of the effects of desflurane and isoflurane anaesthesia on hepatocellular function assessed by alpha glutathione S-transferase *C. C. Schmidt, S. W. Suttner, S. N. Piper, D. Nagel and J. Boldt*
- 1212 A comparison of the effect of rocuronium and vecuronium on heart rate during gynaecological laparoscopy *A. Harvey, L. Anderson and I. J. Broome*
- 1216 A survey of pre-operative fasting regimens before regional ophthalmic anaesthesia in three regions of the United Kingdom *E. A. J. Morris and S. J. Mather*
- Correspondence**
- 1220 Re-enforcing hygiene practices of anaesthetists *H. Wise and R. N. McCormick*
- 1221 Emergency management of previously undiagnosed anterior mediastinal tumour *W. J. Smithies, G. D. Prince and S. K. Ilangoan*
- 1221 Laryngoscopy grades *S. M. Yentis*
- 1222 Ultrasound and percutaneous tracheostomy *M. B. Walker and S. J. Tanser*
- 1222 Airway control and percutaneous tracheostomy *H. G. Wakeling*
- 1223 'Ventouse'-aided intubation *F. Arnstein*
- 1224 The LMA and difficulty with internal jugular vein cannulation *R. H. Riley, D. G. Gaylard, D. A. Wright and P. C. Davies*
- 1224 Another 'whoosh' test *S. K. Pattnaik and R. Bodra*
- 1225 Ambulation in labour *P. Barnardo*
- 1225 An unexpectedly shallow epidural space *F. Day and M. Coleman*
- D. F. Daniels*
- 1227 Spinal anaesthesia in three patients with Paget's disease of bone *C. M. Murphy and G. Shorten*
- 1227 Paediatric intensive care *N. R. Bennett and C. Stack*
- 1228 Visual estimation of children's weights *C. B. Dearlove and O. Dearlove*
- 1229 Pain and opiates following elective craniotomy *J. M. Cupitt*
- 1229 Capnography readings *M. D. D. Bell*
- 1230 Ophthalmic draping and carbon dioxide retention *D. T. Bolton*
- 1231 Subcutaneous emphysema in a patient with bronchial asthma after general anaesthesia for transurethral resection *T.-P. Zucker, M. Rickert and J. Tarnow*
- 1231 No laughing matter – a failure of pipeline nitrous oxide supply *J. S. W. Kua and W. K. Y. Chiu*
- 1232 Are anaesthetic trainees a high-risk group for road accidents? *J. M. Dixon and P. W. Doyle*
- 1233 Palacos and peanut oil *J. A. L. Pittman*
- A. Sandison and W. Harrop-Griffiths*
- 1233 Dystrophica myotonia and suxamethonium *S. Tomlinson, I. Macartney and S. Lam*
- 1235 **Book reviews**
- 1236 **Erratum**
- 1236 **Announcement**
- 1237 **Author/keyword indexes**